

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
7 December 2000 (07.12.2000)

PCT

(10) International Publication Number  
WO 00/73539 A1

(51) International Patent Classification?: C25C 1/12, 7/08, C25B 9/12

(21) International Application Number: PCT/US00/14615

(22) International Filing Date: 26 May 2000 (26.05.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
09/322,745 28 May 1999 (28.05.1999) US

(71) Applicant and  
(72) Inventor: JANGBARWALA, Juzer [US/US]; 14451 Autumn Hill Lane, Chino Hill, CA 91709 (US).

(74) Agents: MARTIN, Timothy, J. et al.; Suite 200, 9250 W. 5th Avenue, Lakewood, CO 80226 (US).


(81) Designated States (*national*): AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:  
— With international search report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: ELECTROWINNING CELL INCORPORATING METAL ION FILTRATION APPARATUS



(57) Abstract: An apparatus and method for electrowinning metal from ionic solutions is provided wherein ionic solution is subject to nanofiltration. An electrowinning cell (10) includes a reservoir (12) adapted to receive an ionic solution (14). During operation, metal ions in solution (14) electroplate onto cathode (18). Nanofilter (20) is in fluid communication with the reservoir and receives solution (14) from a location (22) proximate to the cathode (18). Retentate (52) is formed as a first portion (26) of the solution (14) which passes through the membrane (21) of the filter (20). Permeate (54) is formed as a second portion (28) of the solution (14) which passes through the membrane (21) of the filter (20) to a second region (29) on the opposite side of membrane (21) from the first region (27). Permeate (54) has a second concentration of metal ions lower than the first concentration in first portion (26). Retentate (52) is returned to the reservoir (12) to intermix with solution (14).